

SN	Items	Description of Works	Unit	Rate NRs (Before VAT)
1	Chemical Dosing Pump	Chemical Dosing Pump - Solenoid type, Seko DMS 200, Range: 3 LPH at 10 bars to 9 LPH at 2 bar, Pump Head: PVDF, Diaphragm: PTFE	1 No	36212
2	Chemical Dosing Pump	Chemical Dosing Pump - Solenoid type, Seko AKS 603, Range: 4 LPH at 12 bars to 8 LPH at 2 bar, Pump Head: PVDF, Diaphragm: PTFE	1 No	53400
3	Chemical Dosing Pump	Chemical Dosing Pump - Solenoid type, Seko AKS 800, Range: 7 LPH at 16 bars to 18 LPH at 1 bar, Pump Head: PVDF, Diaphragm: PTFE	1 No	66710
4	Chemical Dosing Pump	Chemical Dosing Pump - Solenoid type, Seko AKS 803, Range: 20 LPH at 5 bars to 62 LPH at 2 bar, Pump Head: PVDF, Diaphragm: PTFE	1 No	75312
5	Chemical Dosing Pump	Chemical Dosing Pump - Motor Driven Diaphragm Pump, Seko MS1 Series, 60 LPH - 3 phase, maximum back pressure 10 bars, 58 Stroke Per minute with manual with adjustment knob	1 No	242000
6	Chemical Resistant Tank	Chemical Mixing/Dosing Tank: 100L Corrosion Resistant yellow/white PE Tank with integrated level indicator with designs to hold mixer agitator	1 No	11000
7	Chemical Resistant Tank	Chemical Mixing/Dosing Tank: 200L Corrosion Resistant yellow/white PE Tank with integrated level indicator with designs to hold mixer agitator	1 No	18500
8	Chemical Resistant Tank	Chemical Mixing/Dosing Tank: 300L Corrosion Resistant yellow/white PE Tank with integrated level indicator with designs to hold mixer agitator	1 No	28500



SN	Items	Description of Works	Unit	Rate NRs (Before VAT)
9	Chemical Mixer Agitator	Chemical Mixing Agitator Mixer with 0.55 kW, 50 Hz, 65 – 130 RPM motor with gearbox and PP laminated carbon steel, 16 mm solid rod, 900 mm shaft length, 3-blade single deck Mixture Agitator	1 Nos	55000
10	Chemical Mixer Agitator	Chemical Mixing Agitator Mixer with 1.5 kW, 50 Hz, 65 – 130 RPM motor with gearbox and double blade type PP laminated carbon steel, 16 mm solid rod, 900 mm shaft length, 3-blade single deck Mixture Agitator	1 Nos	62500
11	Solar Gravity Dosing Unit - Single Tank System	Solar-Gravity Dosing system with 1 no. of 200 liters chemical resistant yellow/white PE tanks with integrated level indicator; gravity based dosing system with DN15 flow control valve, Flow Meter (0-40 lph, DN15 Tube Type), Y Strainer (DN 15, 20 mesh, uPVC Clear housing); 0.2 kw 24V DC Mixer motor with PE coated Stainless Steel agitator; single-step MS Skid; interconnection pipe and fittings with 2 nos. of ball valves; 40 watt Solar Panel, 2 nos. of Acid Free Battery, Charge Controller	1 Set	220000
12	Electric Gravity Dosing Unit - Single Tank System	Electric-Gravity Dosing system with 1 no. of 200 liters chemical resistant yellow/white PE tanks with integrated level indicator; gravity based dosing system with DN15 flow control valve, Flow Meter (0-40 lph, DN15 Tube Type), Y Strainer (DN 15, 20 mesh, uPVC Clear housing); 0.55 kw Mixer motor with PE coated Stainless Steel agitator; single-step MS Skid; interconnection pipe and fittings with 2 nos. of ball valves; electrical works all complete set	1 Set	180000
13	Electric Dosing Unit - Double Tank System	Electric Dosing system with 2 no. of 200 liters HDPE tanks; Seko AKS 603 dosing pump with range of 4 LPH at 12 bars to 8 LPH at 2 bars; 0.55 kw Mixer motor with PE coated Stainless Steel agitator; double-step MS Skid; interconnection pipe and fittings with 3 nos. of ball valves; electrical works all complete set	1 Set	205000



66+

District Coverage



10000+

No. of Installation



60000+

Satisfied Customers



500+

Project Work

SN	Items	Description of Works	Unit	Rate NRs (Before VAT)
14	Electric Dosing Unit - Double Tank System	Electric Dosing system with 2 no. of 200 liters HDPE tanks; Seko AKS 800 with range of 7 LPH at 16 bars to 18 LPH at 1 bar; 0.55 kw Mixer motor with PE coated Stainless Steel agitator; double-step MS Skid; interconnection pipe and fittings with 3 nos. of ball valves; electrical works all complete set	1 Set	271710
15	Electric Dosing Unit - Double Tank System	Electric Dosing system with 2 no. of 200 liters HDPE tanks; Seko AKS 803 with range of 20 LPH at 5 bars to 62 LPH at 2 bars; 0.55 kw Mixer motor with PE coated Stainless Steel agitator; double-step MS Skid; interconnection pipe and fittings with 3 nos. of ball valves; electrical works all complete set	1 Set	226912
16	High Flow Electric Dosing Unit - Double Tank System	60 LPH High Flow Electric Dosing system with 2 no. of 500 liters HDPE tanks; 60 LPH Seko MS1 Series Motor Driven Diaphragm Pump; 0.55 kw Mixer motor with PE coated Stainless Steel agitator; double-step MS Skid; interconnection pipe and fittings with 3 nos. of ball valves; electrical works with electric panel board all complete set	1 Set	439000
17	Leak Detector	Water Leak Detector, Make: Fuji Tecom Japan, Model: LDR-20,	1 No	525000

With over 15 years of market presence, Supreme Associates Traders serves as a one-stop shop for water treatment, catering to domestic, corporate, and commercial needs. Our expertise extends beyond standard water purification to encompass wastewater treatment (STPs & ETPs), chlorination systems, reverse osmosis (RO), ultrafiltration (UF), UV water treatment, leak detectors, smart water meters, and much more. Our goal is to provide high-quality products and services that deliver value and customer satisfaction.